

SUPPLEMENT TO



The Gazette of India

No. 28] NEW DELHI, SATURDAY, JULY 19, 1958/ASADHA 28, 1880

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 21st June, 1958

	CHOLERA				SMALLPOX				PLAQUE					CHOLERA				SMALLPOX				PLAQUE			
	C.	R.	C.	D.	C.	R.	C.	D.	C.	R.	C.	D.	C.	R.	C.	R.	C.	R.	C.	R.	C.	R.			
Andhra Pradesh												Kerala													
"N.R."												Trivandrum													
Assam												Alleppey													
United Khasi and Jaintia Hills	13	5	Trichur													
TOTAL	13	5	Malabar													
Total for w/e 14-6-58	TOTAL													
Total for w/e 7-6-58	Total for w/e 14-6-58													
Bihar												Total for w/e 7-6-58													
Patna	.	.	18	..	15	7	Madhya Pradesh													
Gaya	.	.	6	4	64	18	"N. R."													
Shahabad	.	.	212	97	130	38	Madras													
Saran	1	Madras City													
Champaran	7	2	Chingleput													
Muzaffarpur	.	.	84	29	South Arcot													
Darbhanga	.	.	5	1	14	7	Tiruchirappalli													
Bhagalpur	2	2	Tanjore													
Purnea	24	1	Madurai													
Santal Parganas	10	4	Ramanathapuram													
Hazaribagh	27	7	North Arcot													
Ranchi	20	1	Salem													
Palamau	.	.	1	..	3	Colmbatore													
Dhanbad	.	.	2	1	5	2	The Nilgiris													
TOTAL	..	328	132	322	89	Kanya Kumari													
Total for w/e 14-6-58	..	"N.R."				TOTAL													
Total for w/e 7-6-58	249	103	203	54	Total for w/e 14-6-58													
Bombay												Total for w/e 7-6-58													
"N. R."												1													
Delhi												Manipur													
"N.R."												TOTAL													
Himachal Pradesh												6													
"N.R."												1													
Explanation of symbols used:—C = Cases ; D. = Deaths; .. = Nil; "N.R." = Information not received																									

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 21st June, 1958—*contd*

Explanation of Symbols used:—C.—Cases; D.—Deaths; ..—Nil; "N.R."—Information not received.

* Excluding information from Bihar and Orissa States.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 21st June, 1958—contd.

*These deaths have occurred in Infectious Diseases Hospital.

Explanation of symbols used :— C.—Cases; D.—Deaths; . . . = Nil.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 21st June, 1958—*contd.*

	CHOLERA SMALLPOX PLAGUE							CHOLERA SMALLPOX PLAGUE						
	C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.	
West Bengal													Poliomyelitis	
w/e 7-6-58														
Burdwan	7	3	108	69		(Information based on patients treated in hospitals of important towns)						
Birbhum	35	8										
Bankura	23	10		Place						
Midnapur	3	2	50	18		Punjab						
Hooghly	2	2	19	8	..								F/E Case Death 15-6-58 13 .. (Practices)	
Howrah	69	23	11	8								
24-Parganas	53	27	101	37		REMARKS						
Calcutta	102	21	1			<i>Cholera</i> .—Heavy incidence of the disease was reported from the districts of Shahabad in Bihar State during the week under report.						
Nadia	1	1	11	9								
Murshidabad	31	18		<i>Smallpox</i> :—Heavy incidence of the disease was reported from the Districts of Bolangir-Patna, Sundergarh and Kalahandi in Orissa State ; Almora and Dehra Dun in Uttar Pradesh.						
West Dinajpur	135	53	..								
Jalpaiguri	3								
Darjeeling	1	1								
Malda	79	40	..								
Cooch Behar	1								
Purulia	4	5	39	10								
TOTAL	241	85	648	288								

Explanation of Symbols used :—C.—Cases; D.—Deaths; ..=Nil

NEW DELHI-2 (INDIA) ; }
The 14th July, 1958. }

H. R. SHARMA,
for Registrar General, India.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 21st June, 1958

Deaths from t—

Town	Mid-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.**	I.D.
Andhra Pradesh												"N.R."†	
Assam												"N.R."†	
Bihar												"N.R."†	
Bombay												"N.R."†	
Delhi												"N.R."†	
Kerala												"N.R."†	
Madhya Pradesh												"N.R."†	
Madras													
Ambur	48	21	22.8	1	2	1	7	7.6	3
Arrupukottai	62	45	37.7	2	3	3	..	16	13.4	6
Bodinayakumur	43	21	25.4	3	6	7.3	4
Chidambaram	43	23	27.8	1	1	..	13	15.7	2
Coimbatore	267	225	43.8	18	12	2	88	17.1	20
Cuddalore	76	56	38.3	1	3	1	1	24	16.4	4
Dindigul	100	52	27.0	2	3	2	1	19	9.9	4
Erode	77	44	29.7	3	..	9	6.1	1
Gobichetipalayam	48	44	34.1	1	1	1	..	3	3.3	2
Gudiyattam	58	38	34.1	..	2	9	3	..	24	21.5	8
Kancheepuram	93	112	62.6	2	14	3	46	25.7	9
Karaikudi	47	29	32.1	2	1	8	8.9	4
Karur	57	28	25.5	4	..	1	..	13	11.9	3
Kumbakonam	115	188	85.0	7	3	4	42	19.0	10
Madras City	2,011	1,397	36.1	..	21	..	82	94	167	3	681	17.6	213
Madurai	488	537	57.2	..	5	..	10	13	24	..	223	23.8	30
Mayuram	53	44	42.2	6	5.9	1
Mattrapalayam	43	5	6.0	1	4	4.8	1
Nagapattinam	62	46	38.6	1	..	1	..	15	12.6	2
Nagercoil	109	35	16.7	1	1	1	..	7	3.3	2
Ootacamund	53	43	42.2	7	..	14	13.7	5
Paini	43	28	33.9	3	3	..	11	13.3	5
Palayamkottai	48	51	55.3	1	..	1	..	10	10.8	3
Periyakulam	35	31	46.1	3	12	17.8	..
Pollachi	60	29	25.1	3	1	2	..	13	11.3	5
Pudukkottai	54	38	36.6	2	1	1	..	15	14.4	2
Rajapalayam	74	31	21.8	3	1	3	..	12	8.4	2
Salem	279	170	31.7	3	5	11	1	57	10.6	3
Sriangam	46	33	37.3	1	5	5.7	1
Srivilliputtur	45	24	27.7	2	2	8	9.2	1
Tanjore	133	87	34.0	2	5	2	35	13.7	10
Tiruchirappalli	276	170	32.0	3	5	4	1	50	9.4	11
Tirunelveli†													
Tiruppur	73	43	30.6	1	5	..	13	9.3	3
Tiruvannamalai	47	26	28.8	2	2	..	11	12.2	2
Tuticorin†													
Vaniyambadi	45	29	33.5	2	5	..	17	19.6	8
Vellore	141	123	45.4	2	5	14	1	54	19.9	12
Villupuram	42	42	52.0	1	3	1	1	10	12.4	3
Virudhunagar	57	30	27.4	1	1	9	8.2	4
TOTAL	5,452	4,318	38.3	..	28	..	132	198	303	21	1610	15.4	409

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths); ..=Nil; "N.R."=Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 21st June, 1958—contd.

Town	Mid.-year Popn.-Est (000)	Deaths from I—											
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.†	I.F.
Mysore													
Bangalore	1,246	642	24.8	..	10	..	10	59	62	2	307	12.8	..
Mysore	347	152	22.8	12	2	4	..	52	7.8	..
Kolar Gold Fields	180	124	35.8	9	5	3	..	41	11.8	..
Bellary	83	69	43.2	1	1	25	15.7	4
Davangere	85	99	60.6	1	8	2	43	26.3	..
Shimoga	68	34	26.0	4	6	4.6	1
Bhadra†													
Hospet†													
Tumkur	51	35	35.7
Kolar†													
Chitaldrug	37	8	11.2	2	2.8	—
Hassan†													
Bidar†													
Gulberga	101	34	2.1	1	2	1.0	1
Raichur†													
Belgaum	110	61	28.8	2	1	15	7.1	2
Bilaspur†													
Dhanwar†													
Mangalore	153	137	46.6	5	..	3	..	44	15.0	2
Bagalkot	139	26	34.7	3	1	2	..	15	20.0	..
Hubli†													
Gadag (Betigere)†													
TOTAL	2,500	1,391	28.9	1	10	..	54	72	74	2	552	11.5	10
Orissa													
Behrampur	81	40	25.7	4	4	5	1	21	13.5	9
Cuttack	129	141	56.8	..	9	..	6	6	6	..	58	23.4	5
Puri	56	47	43.6	17	3	1	..	41	38.1	13
TOTAL	266	228	44.6	..	9	..	27	13	12	1	120	23.5	27
Pondicherry	68	93	71.1	2	4	2	..	20	15.3	13
Punjab													
Ambala	62	41	34.4	17	4	2	..	27	22.6	13
Amritsar	359	162	23.5	4	8	28	..	77	11.2	23
Batala	66	32	25.2	7	..	3	..	12	9.5	5
Bhiwani	59	52	45.8	7	..	4	..	16	14.1	4
Ferozepur	47	33	36.5	1	..	1	..	5	5.5	2
Hissar	41	29	36.8	9	..	2	..	14	7.8	3
Hoshiarpur	54	32	30.8	8	..	1	..	12	11.6	4
Jullundhar	230	116	26.2	15	4	11	..	41	9.3	8
Karnal	83	37	23.2	12	1	3	..	25	15.7	5
Ludhiana	194	136	36.5	..	1	..	13	..	13	..	52	13.9	10
Moga	45	20	23.1	4	1	1	..	8	9.2	1
Panipat	72	29	20.9	6	..	3	..	9	6.5	..
Pathankot	36	32	46.2	7	..	3	..	12	17.3	5
Rewari	40	19	24.7	7	..	1	..	13	16.9	3
Rohri†													
Simla	53	38	37.3	1	—	10	9.8	4
Sonipat†													
Bhatinda	43	44	50.8	2	..	2	..	7	8.1	1
Malerkotla	35	30	44.6	10	10	14.9	..
Patiala	123	65	27.0	..	3	..	31	..	5	..	56	23.3	25
TOTAL	1,646	947	30.0	..	2	..	161	18	82	..	496	12.8	116

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

*Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); .—No information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 21st June, 1958—contd.

Deaths from—

Town	Mid-year Popn-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.†	I.D.‡
Uttar Pradesh													
Agra	404	345	44·4	..	I	..	3	5	63	..	100	12·9	30
Allahabad	372	150	21·0	2	1	34	..	60	8·4	7
Amroha	61	35	29·9	23	6	6	..	36	30·7	8
Bahraich	49	21	22·3	3	1	1	..	5	5·3	1
Banaras	416	253	31·7	99	4	24	..	329	41·1	37
Bandat													
Bareilly	206	43	10·9	10	2	9	..	34	8·6	3
Basti†													
Ballia†													
Bijnor†													
Budaun	55	30	28·4	11	3	7	..	36	28·4	15
Bulandshahr	45	6	6·9	6	4	4	..	6	6·9	1
Chandausi	44	45	53·2	13	..	3	1	26	30·7	9
Dehra Dun	186	93	20·1	..	I	..	3	2	3	..	21	5·9	6
Etawah	65	48	36·9	..	14	..	31	2	12	..	70	56·0	11
Faizabad-Ayodhya	94	28	15·5	..	3	..	7	..	5	..	22	18·2	10
Farukhabad-Fatehgarh	78	38	25·4	I	I	..	13	..	7	..	28	18·7	6
Firozabad†													
Ghazipur	35	11	16·3	—	I	..	10	4	2	..	10	29·7	4
Ghaziabad	68	26	19·9	14	..	1	1	18	13·8	6
Gonda	35	6	8·9	I	I	..	4	5·9	1
Gorakhpur	150	42	14·6	9	5	11	..	38	13·4	10
Hapur	65	39	31·3	12	17	13·6	3
Hardwar	73	43	30·7	..	I	..	16	..	4	..	34	24·3	6
Hathras†													
Jaunpur	59	20	17·7	..	II	..	5	..	6	..	25	22·1	7
Jhansi	132	71	28·0	67	I	2	..	83	32·7	11
Kanpur	810	269	17·3	..	3	..	107	21	33	3	277	17·8	70
Kasganj	34	6	9·2	1	..	1	..	2	3·1	4
Khurja	41	25	31·8	17	..	7	..	33	41·9	8
Koll-Aligarh	167	35	10·9	32	2	2	..	49	15·3	14
Lucknow	525	369	36·6	..	6	..	66	8	50	..	233	23·1	56
Mathura	118	80	35·3	15	—	3	..	28	12·4	3
Mau-Nath Bhanjan	39	23	30·7	10	I	22	29·3	3
Meerut	198	112	29·5	..	2	..	19	I	5	..	46	12·1	14
Mirzapur-Vindhayachal	100	34	17·7	13	..	6	..	21	10·9	2
Moradabad	165	85	26·9	..	I	..	8	I	20	..	56	17·7	15
Muzaffarnagar†													
Pilibhit†													
Rampur†													
Saharanpur	178	112	32·8	53	I	67	19·6	9
Sambhal†													
Sitapur†													
Shahjahanpur	112	78	36·2	44	I	4	..	63	29·3	9
TOTAL	5,179	2,619	26·3	..	31	..	742	68	331	5	1,903	19·1	406

West Bengal

"N. R."

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.O.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil Information. "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 21st June, 1958—*contd.*

Deaths from :—

ARREAR INFORMATION

Assam

WFO 17-5-1958

Shillong†	.	.	.	58	17	15.2	7	1	14	12.6	..
Gauhati	.	.	.	54	1	1.0	1	1	1.0	..
Dibrugarh	.	.	.													
Silchar	.	.	.	57	4	3.6	2	3	7	6.4	1
TOTAL	.	.	.	169	22	6.8	10	4	22	6.8	1

w/e 24-5-1958

Shillong†
Gauhati	58	21	18·8
Dibrugarh	54	26	25·0	..	2	4	1	1	..	14	13·5
Silchar	57	2	1·8
TOTAL	169	49	15·1	..	2	..	13	1	1	..	37	11·4	30

w/e 31-5-1958

Shillong†	58	10	9·0	2	5	4·5	7
Gauhati	54	5	4·8
Dibrugarh	54	5	4·8
Silchar	57	26	23·7	3	..	I	..	II	10·0	5
TOTAL	169	41	12·6	5	..	I	..	16	4·9	12

Delhi

w/e 31-5-1958

Delhi City	.	.	.	1216	492	21.0	93	5	20	1	190	8.1	57
New Delhi	.	.	.	417	153	19.1	3	4	4	..	63	7.9	20
N.A.C. Civil Station Delhi				130	77	30.8	..	9	..	7	26	10.4	9
Delhi Cantt	.	.	.	54	81	78.0	2	1.9	..
Delhi Shadara	.	.	.	58	49	43.9	7	..	4	..	13	11.7	2
TOTAL				1871	852	22.6		2		112	8	29	5	261	8.1	88

© 2020

ssfa 21.5-1059

Orissa	Area 513 - 1950												
Berhampur	81	35	22.5	3	3	1	1	12	7.7	4
Cuttack	129	137	55.2	..	13	..	11	8	11	..	76	30.6	10
Puri	56	23	21.3	6	4	5	..	26	24.1	6
TOTAL	266	195	38.1	..	13	..	20	15	17	1	114	32.3	20

Kerala

w/e 24-5-1958

Trivandrum	.	.	247	126	26.5	.	.	.	6	6	.	.	46	9.7	6
Quilon	.	.	88	120	70.9	1	0.1	.
Alleppey	.	.	195	37	9.9	14	3.7	2
Changanacherry	.	.	44	34	38.4	.	.	.	1	.	.	.	8	9.5	.

Kottayam
Mattancherry

— — .
— . —

Trichur	.	.	80	34	22.1	I	13	8.5	I
Ernakulam	.	.	77	40	27.0	I	18	12.2	I
Cochin	.	.	33	24	37.8	4	I	12	18.9	I
Kozhikode	.	.	187	143	39.3	13	6	9	4	86	23.9	I2
Palghat	.	.	62	36	30.2	18	15.1	4
Cannanore	.	.	49	30	31.4	5	..	I	..	11	11.7	I
Tellecherry	.	.	43	39	47.2	I	I	8	9.7	I
TOTAL	.	.	1268	691	28.3	34	17	10	4	274	11.2	31

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

[†] Figures not available.

Explanation of symbols used.—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); .—Nil information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 21st June, 1958—contd.

Deaths from :-

Town	Mid-year Popn-Est. (ooo)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
(Supplementary figures)														
Punjab														
<i>w/e 31-5-58</i>														
Ferozepore	47	15	16.6	4	1	1	..	10	11.1	..	
Moga	45	19	22.0	4	..	1	..	7	8.1	..	
<i>w/e 7-6-1958</i>														
Moga	45	18	20.9	2	..	1	..	5	5.8	..	
Ferozepore	47	28	31.1	..	1	..	1	..	2	..	9	10.1	3	
West Bengal														
<i>w/e 26-4-58</i>														
Asansolt† Baidyabati† Bally	71	3	2.2	3	3	2.2	..	
Bankura	51	14	14.3	3	3.1	..	
Bansberia† Basirhat	43	6	7.3	1	1	..	3	3.6	..	
Baranagar	99	43	22.6	10	4	..	1	3	5	..	32	16.9	12	
Berhampur	69	26	19.6	5	2	1	..	17	12.8	2	
Bhadravtar	44	
Bhatpara	150	15	5.2	..	4	..	14	..	2	1	48	16.7	9	
Burdwan	85	25	15.3	310	6	..	35	80	115	1	13	8.0	..	
Calcutta	2,931	1,082	19.2	919	16.3	187	
Champdani	41	15	19.1	
Cooch-Behar† Darjeeling	39	18	24.1	3	..	2	..	12	16.0	..	
English Bazar	37	12	16.9	..	1	1	6	8.5	..	
Garden-Reach	131	18	7.2	9	6	2	20	8.0	2	
Haldibari	43	1	1.2	2	2.4	..	
Hooghly-Chinsura	63	88	72.8	3	6	..	1	4	2	..	18	14.9	2	
Howrah	477	121	13.2	36	9	..	4	21	23	..	162	17.7	51	
Jalpaiguri	55	24	22.8	2	..	1	..	13	12.3	..	
Kamarhati† Kanchrapara	104	17	8.5	1	4	2.0	3	
Krishnanagar	69	
Midnapur	47	22	24.4	1	1	..	10	11.1	..	
Navadvip	87	31	18.6	5	6	3.6	..	
Naihati	67	5	3.9	..	2	..	1	5	3.9	3	
North Barrackpore	37	2	2.8	..	2	3	4.2	1	
Panhati	76	1	0.7	3	2.1	..	
Sandipur	35	21	19.9	..	2	1	1	..	6	5.7	..	
Serampore	92	27	15.3	7	7	4	2	..	28	15.9	7	
Siliguri †	
South Dum Dum	114	3	1.4	..	4	1	4	5	
South Suburban	149	26	9.1	4	2	1	4	5	..	21	7.3	13
Titagarh	85	21	12.9	4	1	..	12	1	4	..	26	15.9	3	
Purulia	52	7	7.0	2	4	4.0	..	
Budge-Budge	32	8	13.0	2	4	6.5	1	
Chandernagore	58	31	27.9	..	2	..	3	1	3	1	20	18.0	..	
Kharagpur	79	4	2.6	1	1	0.7	..	
TOTAL	5,632	1,737	16.1	389	47	..	103	126	171	4	1,412	13.1	296	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B. R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D. D.—Dysentery and Diarrhoea ; R. D.—Respiratory Diseases ; M. D.—Maternal Deaths ; D. R.—Death Rate ; I. D.—Infantile Deaths (Included in total deaths) ; ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 21st June, 1958—*concl.*

Deaths from —

Town	Mid-Year Popn. Est.(ooo)	Deaths from —											D.R.*	I.D.		
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total					
Madhya Pradesh												w/e 3-5-1958				
Bilaspur†	.	.	.	85	50	30.6	..	11	..	8	16	9.8	..	
Burhanpur	.	.	.													
Damoh†	.	.	.													
Jabalpur†	.	.	.	64	11	8.9	..	7	..	1	..	1	..	10	8.1	..
Khandwa	.	.	.													
Raipur†	.	.	.													
Murwara†	.	.	.													
Sagar†	.	.	.													
Chhindwara	.	.	.	33	10	15.8	..	1	..	1	..	1	..	11	17.3	4
Raigarh†	.	.	.													
Itarsi	.	.	37	17	23.9	2	13	18.3	..
Greater Gwalior	.	.	297	43	7.5	..	1	..	6	19	3.3	2
Indore	.	.	.	423	101	12.4	..	4	..	15	..	7	2	97	11.9	..
Ratlam†	.	.	.	183	47	13.4	..	2	..	17	44	12.5	17
Ujjain	.	.	.													
Bhopal†	.	.	.													
Mandsaur	.	.	.	48	9	9.8	1	1	1.0	..
TOTAL	.	.	1,170	288	12.8	..	26	..	51	..	9	2	211	9.4	23	

Punjab

(Supplementary figures)

w/e 14-6-58

Ferozepur	.	.	47	32	35.4	1	1	2	..	10	11.6	1
Moga	.	.	45	24	27.7	2	..	1	..	4	4.6	..

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fevers ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information.

REMARKS

The figures of births and deaths shown in this statement for week ending the 21st June, 1958 relate to 105 towns from the States of Madras, Mysore, Orissa, Pondicherry, Punjab and Uttar Pradesh with a population coverage of 15,111 thousands out of the total population of 46,461 thousands in 320 towns in the country. The number of births and deaths recorded in these towns were 9,296 and 4,611

representing birth and death rates of 32.0 and 15.9 per thousand of population respectively.

The towns of Amroha, Banaras, Chandauli, Etawah, Jhansi and Khurja in Uttar Pradesh and Puri in Orissa State have recorded high death rates of 30.7; 41.1; 30.7; 56.0; 32.7; 41.9 and 38.1 per thousand of population respectively. The following table gives the registered rates for different States:—

States	Current w/e 21-6-1958		Corresponding w/e last year	
	B. R.	D. R.	B. R.	D. R.
Madras	38.3	15.4	43.3	24.2
Mysore	28.9	11.5	21.4	9.9
Orissa	44.6	23.5	54.1	20.7
Pondicherry	71.1	15.3	78.4	25.6
Punjab	29.9	12.8	29.5	10.8
Uttar Pradesh	26.3	19.1	27.5	16.0
India	32.0	15.9	34.1	18.2

NEW DELHI-2 (INDIA) ;

Th^e 14th July, 1958.

H. R. SHARMA,
for Registrar General, India.

